

NOHSC 16 Section

Material Safety Data Sheet

DELO SILVER SAE 10W

Infosafe™ ACR99Issue Date December 2010Status ISSUED byBS:No.CALTEX1.10.9

Not classified as hazardous according to criteria of NOHSC

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name DELO SILVER SAE 10W

Product Code 2896

Company Name Caltex Australia Petroleum Pty Ltd (ABN 17 000 032 128)

Address 2 Market Street, Sydney NSW 2000

Emergency Tel. 1800 033 111

Telephone/FaxTel: (02) 9250 5000NumberFax: (02) 9250 5742

Recommended Use Automotive engine crankcase lubricant

Other Names None Listed

OtherThe most recent MSDS for this product can be obtained fromInformationthe Caltex Australia website - 'www.caltex.com.au'.

2. HAZARDS IDENTIFICATION

HazardNON-HAZARDOUSSUBSTANCE.ClassificationNON-DANGEROUSGOODS.

Hazard classification according to the criteria of NOHSC. Dangerous goods classification according to the Australia Dangerous Goods Code.

Safety Phrase

(s) S24/25 Avoid contact with skin and eyes.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Information on This product is formulated with mineral oils which are Composition This product is formulated with mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

| Ingredients | Name | CAS | Proportion |
|-------------|--|------------|------------|
| | Distillates, Hydrotreated Heavy Paraffinic | 64742-54-7 | 80-100 % |
| | Dodecyl methacrylate | 142-90-5 | 0-<0.01 % |
| | Zinc dialkyl dithiophosphate | 68649-42-3 | 0-<1 % |
| | Non hazardous ingredients | - | Balance |

4. FIRST AID MEASURES

Inhalation If inhaled, remove affected person from contaminated area.
Keep at rest until recovered. If symptoms persist seek
medical attention.

Ingestion Do not induce vomiting. Wash out mouth thoroughly with water. If symptoms develop seek medical attention.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If symptoms develop seek medical attention.

Eye If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and persist seek medical attention.

First Aid Facilities Eye wash and normal wash room facilities.

Advice to

Doctor Treat symptomatically.

5. FIRE FIGHTING MEASURES

| Suitable Extinguishing Media | Use carbon dioxide, dry chemical, foam, water fog or water mist. |
|---|---|
| Hazards from Combustion Products | Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide and carbon dioxide. |
| Specific Hazards | Combustible liquid (C2). This product will readily burn under fire conditions. |
| Precautions in connection with Fire | Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers |
| Unsuitable Extinguishing Media | DO NOT use water jet. |

6. ACCIDENTAL RELEASE MEASURES

Emergency Wear appropriate personal protective equipment and clothing to prevent exposure. Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. If possible contain the spill. Place inert absorbent, noncombustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water authorities and EPA in accordance with local regulations.

7. HANDLING AND STORAGE

| 1 |
|----|
| |
| |
| |
| as |
| |
| |
| |
| |

Conditions for Safe Storage Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, foodstuffs, and clothing. Keep containers closed when not in use and securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids. Reference should also be made to all applicable local and national regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- National No exposure standards have been established for this material, however, the TWA National Occupational Health And Standards Safety Commission (NOHSC) exposure standards for oil mist is 5 mg/m³. As with all chemicals, exposure should be kept to the lowest possible levels. TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.
- Biological Limit Values No biological limits allocated.
- Engineering Provide sufficient ventilation to keep airborne levels
 Controls below the exposure limits. Where vapours or mists are
 generated, particularly in enclosed areas, and natural
 ventilation is inadequate, a local exhaust ventilation
 system is required.
- Respiratory If engineering controls are not effective in controlling Protection airborne exposure then an approved respirator with a replaceable organic vapour filter should be used. Reference should be made to Australian/New Zealand Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.
- **Eye Protection** Safety glasses with side shields or chemical goggles should be worn. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.
- Hand Protection Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

MSDS: DELO SILVER SAE 10W

Body Protection Suitable protective work wear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant plastic apron is recommended where large quantities are handled.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Yellowish-brown oil Odour Characteristic petroleum odour Melting Point <=-30°C Boiling Point Not available Solubility in Insoluble Water Specific 0.86 at 15°C Gravity Not applicable pH Value Vapour Pressure Not available Vapour Density (Air=1) Not available Flash Point >=205°C (Open cup) Flammability Combustible liquid (C2) Auto-Ignition Not available Temperature Flammable Limits - Lower Not available Flammable Limits - Upper Not available

MSDS: DELO SILVER SAE 10W (Not classified as hazardous according to criteria of NOHSC)

Kinematic41.9 cSt at 40°CViscosity6.3 cSt at 100°C

10. STABILITY AND REACTIVITY

| Chemical Stability | Stable under normal conditions of storage and handling. |
|--|---|
| Conditions to Avoid | Heat and other sources of ignition. |
| Incompatible Materials | Strong oxidising agents |
| Hazardous Decomposition Products | Under fire conditions this product may emit toxic and/or irritating fumes and gases including carbon monoxide and carbon dioxide. |
| Hazardous Polymerization | Will not occur. |

11. TOXICOLOGICAL INFORMATION

| Toxicology Information | No toxicity data available for this material. The available acute toxicity data for the ingredients as published by RTECS (Registry of Toxic Effects of Chemical Substances) are as follows: For Distillates, hydrotreated heavy paraffinic: LD50 (Oral, Rat): >15 gm/kg |
|---------------------------|---|
| Inhalation | Inhalation of product vapours may cause irritation of the nose, throat and respiratory system. |
| Ingestion | Ingestion of this product may irritate the gastric tract causing nausea and vomiting. |
| Skin | May be irritating to skin. The symptoms may include redness, itching and swelling. |

Eye May be irritating to eyes. The symptoms may include redness, itching and tearing.

Chronic Effects Prolonged or repeated contact may result in skin irritation leading to dermatitis.

12. ECOLOGICAL INFORMATION

Ecotoxicity No data is available for this material.

Persistence /

Degradability No data is available for this material.

Mobility Not available

Environment This material may present environmental risks common to oil
Protection spills. Prevent this material entering waterways, drains
and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal The disposal of the spilled or waste material must be done Considerations in accordance with applicable local and national regulations.

14. TRANSPORT INFORMATION

TransportNot classified as Dangerous Goods according to theInformationAustralian Code for the Transport of Dangerous Goods by
Road and Rail. (7th edition)

15. REGULATORY INFORMATION

MSDS: DELO SILVER SAE 10W (Not classified as hazardous according to criteria of NOHSC)

Regulatory Not classified as Hazardous according to criteria of Information National Occupational Health & Safety Commission (NOHSC), Australia. Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons

Schedule Not Scheduled

16. OTHER INFORMATION

| Date of preparation or last revision of MSDS | MSDS Reviewed: December 2010 Supersedes: January 2008 |
|---|---|
| Contact Person, Point | CHEMICAL EMERGENCIES: 1 800 033 111 TECHNICAL ADVICE: 1300 364 169 Health & Safety Advisor Tel: (02) 9250 5822 and (02) 9250 5734 PLEASE NOTE that although every care has been taken in compiling the above information, it is solely reliant upon data available to us at the date hereof. We believe the data to be correct, however for the reason just stated we are not in a position to warrant its accuracy. With that in mind and given that the full range of possibilities and conditions under which the information may be applied simply cannot be anticipated, YOU ARE CAUTIONED to make your own determinations as to the veracity and the suitability of the information to the particular circumstances that apply, or may apply, to you from time to time. Consistent with that approach it is recommended that where you have a particular purpose which would necessitate a reliance on information of the nature herein you obtain your own independent expert advice particularly structured to the relevant purpose. If this material is printed, circulated, distributed or copied in any manner, it is not to be modified without prior written permission, and further, it is to include the wording of the above disclaimer. |

End of MSDS

(C) Copyright ACOHS Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd. Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

Print Date: 10/12/2011

BS: 1.10.9