# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 Version 6.3 Revision Date 17.10.2013 Print Date 06.12.2013

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Toluene

Product Number : 32249

Brand : Sigma-Aldrich Index-No. : 601-021-00-3

REACH No. : 01-2119471310-51-XXXX

CAS-No. : 108-88-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Riedstrasse 2

D-89555 STEINHEIM

Telephone : +49 89-6513-1444 Fax : +49 7329-97-2319 E-mail address : eurtechserv@sial.com

1.4 Emergency telephone number

Emergency Phone # : +49 7329-97-2323

### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Reproductive toxicity (Category 2), H361d Aspiration hazard (Category 1), H304

Specific target organ toxicity - repeated exposure (Category 2), H373

Skin irritation (Category 2), H315

Specific target organ toxicity - single exposure (Category 3), H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

F Highly flammable R11

R63

Xn Harmful R48/20, R65

Xi Irritant R38

R67

For the full text of the R-phrases mentioned in this Section, see Section 16.

### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.
H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P281 Use personal protective equipment as required.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician.

P331 Do NOT induce vomiting.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards - none

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Formula : C<sub>7</sub>H<sub>8</sub>

Molecular Weight : 92,14 g/mol
CAS-No. : 108-88-3
EC-No. : 203-625-9
Index-No. : 601-021-00-3

Registration number : 01-2119471310-51-XXXX

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Toluene			
CAS-No. EC-No. Index-No.	108-88-3 203-625-9 601-021-00-3	Flam. Liq. 2; Skin Irrit. 2; Repr. 2; STOT SE 3; STOT RE 2; Asp. Tox. 1; H225, H304, H315, H336, H361d, H373	<= 100 %

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Toluene			
CAS-No. EC-No. Index-No.	108-88-3 203-625-9 601-021-00-3	F, Xn, Repr.Cat.3, R11 - R48/20 - R63 - R65 - R67	

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Sigma-Aldrich - 32249 Page 2 of 8

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

# 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# 7.3 Specific end use(s)

A part from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma-Aldrich - 32249 Page 3 of 8

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

### Components with workplace control parameters

#### 8.2 **Exposure controls**

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

### Eve/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Fluorinated rubber Minimum layer thickness: 0.7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

Splash contact

Material: Fluorinated rubber Minimum layer thickness: 0,7 mm Break through time: 480 min

Material tested: Vitoject® (KCL 890 / Aldrich Z677698, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374. contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Sigma-Aldrich - 32249 Page 4 of 8

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Colour: colourless

b) Odour no data available

c) Odour Threshold no data available

d) pH no data available

e) Melting point/freezing

point

Melting point/range: -93 °C

f) Initial boiling point and

boiling range

110 - 111 °C

g) Flash point 4,0 °C - closed cup
h) Evapouration rate no data available
i) Flammability (solid, gas) no data available

j) Upper/lower flammability or Upper explosion limit: 7 %(V) Lower explosion limit: 1,2 %(V)

explosive limits

Yapour pressure

k)

29.1 hPa at 20.0 °C

I) Vapour density no data available
 m) Relative density 0,865 g/mL at 25 °C
 n) Water solubility no data available

 Partition coefficient: noctanol/water no data available

p) Auto-ignition temperature

535,0 °C

q) Decomposition temperature

no data available

r) Viscosity no data availables) Explosive properties no data available

t) Oxidizing properties

no data available

# 9.2 Other safety information

no data available

### **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available

# 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Strong oxidizing agents

# 10.6 Hazardous decomposition products

Other decomposition products - no data available

Sigma-Aldrich - 32249 Page 5 of 8

## **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - rat - > 5.580 mg/kg

LC50 Inhalation - rat - 4 h - 12.500 - 28.800 mg/m3

LD50 Dermal - rabbit - 12.196 mg/kg

#### Skin corrosion/irritation

Skin - rabbit

Result: Skin irritation - 24 h

# Serious eye damage/eye irritation

no data available

# Respiratory or skin sensitisation

no data available

# Germ cell mutagenicity

rat

Liver

DNA damage

### Carcinogenicity

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Toluene)

### Reproductive toxicity

Damage to fetus possible

Suspected human reproductive toxicant

Reproductive toxicity - rat - Inhalation

Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count).

Experiments have shown reproductive toxicity effects in male and female laboratory animals.

Developmental Toxicity - rat - Oral

Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus).

### Specific target organ toxicity - single exposure

no data available

# Specific target organ toxicity - repeated exposure

no data available

# **Aspiration hazard**

no data available

#### **Additional Information**

RTECS: XS5250000

Lung irritation, chest pain, pulmonary edema, Inhalation studies on toluene have demonstrated the development of inflammatory and ulcerous lesions of the penis, prepuce, and scrotum in animals.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 7,63 mg/l - 96 h

NOEC - Pimephales promelas (fathead minnow) - 5,44 mg/l - 7 d

Toxicity to daphnia and

other aquatic invertebrates EC50 - Daphnia magna (Water flea) - 8,00 mg/l - 24 h

Immobilization EC50 - Daphnia magna (Water flea) - 6 mg/l - 48 h

Toxicity to algae EC50 - Chlorella vulgaris (Fresh water algae) - 245,00 mg/l - 24 h

EC50 - Pseudokirchneriella subcapitata (green algae) - 10,00 mg/l - 24 h

### 12.2 Persistence and degradability

Biodegradability Result: - Readily biodegradable.

### 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

Toxic to aquatic life.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 1294 IMDG: 1294 IATA: 1294

## 14.2 UN proper shipping name

ADR/RID: TOLUENE IMDG: TOLUENE IATA: Toluene

# 14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

### 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

# 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

### 14.6 Special precautions for user

no data available

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

Sigma-Aldrich - 32249 Page 7 of 8

Asp. Tox. Aspiration hazard Flam. Liq. Flammable liquids

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.
H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Repr. Reproductive toxicity

Skin Irrit. Skin irritation

STOT RE Specific target organ toxicity - repeated exposure

# Full text of R-phrases referred to under sections 2 and 3

F Highly flammable

Xn Harmful

R11 Highly flammable. R38 Irritating to skin.

R48/20 Harmful: danger of serious damage to health by prolonged exposure through

inhalation.

R63 Possible risk of harm to the unborn child.
R65 Harmful: may cause lung damage if swallowed.
R67 Vapours may cause drowsiness and dizziness.

Repr.Cat.3 Toxic to Reproduction Category 3

### **Further information**

Copyright 2013 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 32249 Page 8 of 8