CONFINED SPACE ENTRY PERMIT					1A. NAME OF EMERGENCY CONTACT 1B. TE					LEPHONE NUMBER	
2. SPECIFIC LOCATION OF SPACE				3. DESCRIPTION OF SPACE							
4. PURPOSE OF ENTRY				5. ENTRY		A. DATE		B. TIME	B. TIME		
				6. EXIT		A. DATE		B. TIME			
7A. NAME OF SUPERVISOR IN CHARGE OF WORK 7B. TELEPHONE N					BER 8. NAME OF ENTRANT(S			NT(S)	<b>I</b>		
9. NAME OF ATTENDANT		10. NAME OF CONFINED SPACE			ĒR			11. WELI		G OR "HOT WORK" REQUIRED	
	List specific	12. CONI tests made. Entry is prohibite					missible entry l	evel(PEL).			
A. SUBSTANCE TESTED		B. PERMISSIBLE LEVEL		C. READING			D. DATE		E	E. TIME	
OXYGEN (%)		>19.5 <22.0									
% OF LOWER EXPLOSIVE LIMIT		10%									
CARBON MONOXIDE		35 ppm									
13A. NAME OF INSTRUMENT(S)	YPE(S) OF INSTRUMENTS	NTS 13C. IDENTIFICATION NUM				TION NUMBE	R(S)	13D. WHEN	LAST CALIBRATED		
		14. SPECIAL REQUIREM	ENTS (E)	cplain e	each "N	o" answer	in Item 18)				
YES NO ITEM				YES	NO		ITEM				
A. LOCKOUT - DE-ENERGIZE (Employee retains key)						I. FIRE EXTINGUISHER					
B. SPACE PURGED											
C. VENTILATION											
D. AREA SECURED E. BREATHING APPARATUS						L. PROTECTIVE CLOTHING M. LINE CAPPED OR BLANKED					
F. RESUSCITATOR/INHALATOR						N. RESPIRATOR					
G. ESCAPE HARNESS							0.				
H. LIFELINE						Ρ.					
15. OTHER SPECIAL REQUIREM	ENTS (List each a	and status)									
16A. SPECIFIC PROTECTIVE CLOTHING AND EQUIPMENT REQUIRED					16B. RESPIRATOR						
									-IED AIR		
						PAPR SCBA					
17. COMMUNICATION PROCEDU	IRES DURING EN	ITRY									
18. ADDITIONAL COMMENTS/RE	MARKS										
19. RESERVED FOR REGIONAL	S&EM DIVISION/I	BRANCH									
20. I CERTIFY THAT I HAVE REAL FACILITY MANAGER. FURTH						NFINED S	PACE ENTRY	PROGRAM	IMPLEMENTED I	3Y MY GSA	
ENTRANT SIGN AND DATE HERE				ATTENDANT SIGN AND DATE HERE							
21. I CERTIFY THAT ALL OF THE DESCRIBED IN THE ABOVE (			THE SPA	CE EN	TRAN	AND ATT	ENDANT ARE	FULLY CO		RFORM WORK	
SUPERVISOR SIGN HERE									DATE		

GENERAL SERVICES ADMINISTRATION

## INSTRUCTIONS

**SPECIAL NOTICE 1:** THE CONFINED SPACE ENTRY PERMIT <u>IS NOT</u> A PERMIT TO CONDUCT "HOT WORK" OPERATIONS THAT ARE COVERED UNDER THE PROVISIONS OF THE OSHA STANDARD 29 CFR 1910, SUBPART Q-WELDING, CUTTING AND BRAZING. FOR "HOT WORK" OPERATIONS, A SEPARATE PERMIT (GSA FORM 1755) IS REQUIRED. IF "HOT WORK" WILL BE REQUIRED IN CONJUNCTION WITH THE CONFINED SPACE ENTRY TASK, BOTH PERMITS (GSA FORM 1755 AND GSA FORM 3625) ARE REQUIRED.

**SPECIAL NOTICE 2:** CONFINED SPACE ENTRY IS PROHIBITED IF TEST DATA INDICATES AN UNSAFE OR UNHEALTHFUL CONDITIONS IS PRESENT IN <u>ANY</u> FORM OR QUANTITY. IN SUCH CASES, CONTACT THE REGIONAL SAFETY AND ENVIRONMENTAL MANAGEMENT DIVISION/BRANCH FOR INSTRUCTIONS.

## **Description**

Item No.

- 1: List the EMERGENCY CONTACT (name and telephone number) in **BOLD** letters the RED is preferred.
- 2: List the specific location of the confined space.
- 3: List the specific description of the confined space.
- 4: List the specific reason that entry into the confined space is necessary.
- 5: Show the date and the time entry into the confined space will be accomplished. If entry does not take place within 4 hours of schedule, breaks included, a new permit will be required. The permit shall be authorized for one-day entry only and for no more than 4 hours per day for each employee.
- 6: Show the date and the time the confined space work is to be completed. If the work is not completed within one hour of the time shown, the entrant will be required to leave the space and explain the circumstances. If the work is to take more than two hours over the time shown, a new permit is required.
- 7A: List the name of the supervisor in charge of the confined space. This individual must be available at all times while the confined space is occupied.
- 7B: List the telephone number of the person listed in Item 7A.
- 8: List the name of the person entering the confined space. If more than one entrant is authorized, each individual shall be listed.
- 9: List the name of the attendant.
- 10: List the name of the person conducting confined space tests. If the tester is a contractor, a business card or other identification, and a copy of the contract specifying the contractor's responsibility should be attached to the form.
- 11: If the response is "Yes", a completed copy of GSA Form 1755, Permit for Welding, Cutting or Brazing, must be posted next to the Confined Space Entry Permit, both of which must be in a conspicuous location outside the confined space.
- 12: List the specific tests made and the purpose. As minimum, testing of oxygen, lower explosive limits, and carbon monoxide, must be accomplished. For other contaminants, the OSHA permissible exposure limits shall be used as the permissible entry limits.
- 13A: List the instruments used for the tests. If more than one instrument is used, enter the required information on a separate sheet of paper and attach it to the form.
- 14: Place an "X" in the appropriate box. If the response is "NO" to any item, the supervisor shall indicate the reason in Item 18.
- 15: The supervisor shall list any additional requirements or precautions necessary for the confined space entry. An example would be if testing is required every 30 minutes; or if monitoring is required at all times during space occupancy. If there are no additional requirements, the entry will so state this fact.
- 16A-16B: List the specific protective clothing and equipment required for the task. Check the type of respiratory protective device: Neg. Press - negative pressure, PAPR - powered air purifying respirator, SCBA - self-contained breathing apparatus.
  - 17: State precisely what the communication procedures will be between the entrant and attendant during the confined space entry period.
  - 18: The supervisor shall list use this space to indicate any exceptions, negative responses in Item 14, and any other remarks necessary to ensure a safe and healthful confined space entry task is accomplished.
  - 19: The regional S&EM office shall use this space to note any deficiencies on the entry permit or any other aspect of the facility confined space entry program. Positive corrective measures are to be noted in this item and the facility manager required to respond to any unfavorable comment.
  - 20: The entrant and attendant shall sign and date the form. They must sign on the date of entry into the confined space.
  - 21: The supervisor must sign and date the authorization for the confined space entry. The supervisor must sign on the date of entry. The supervisor shall not sign the form unless all items are completed. There shall not be any blank items allowed for Items 1 through 17.